

L Number	Hits	Search Text	DB	Time stamp
-	5602	(345/734 345/736 345/848 345/853 345/969 703/\$).ccls.	USPAT	2004/09/25 10:51
-	4	((345/734 345/736 345/848 345/853 345/969 703/\$).ccls.) and ((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map) with (server) with (client portable PDA palm laptop lap-top "lap top"))	USPAT	2004/09/25 10:55
-	4	((345/734 345/736 345/848 345/853 345/969 703/\$).ccls.) and ((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	2004/09/25 10:57
-	101	((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	2004/09/25 10:58
-	13	((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan) with (communication tele-communication telecommunication "tele communication") with (network system) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	2004/09/25 11:09
-	81	((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	2004/09/25 11:17
-	0	((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((predict\$3 simulat\$3) with (performance result) with (plan map model floor-plan network system building environment))	USPAT	2004/09/25 11:11

-	16	((download\$3 load\$3 stor\$3 down-load\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design) with (communication tele-communication telecommunication "tele communication" network system building environment) with (server) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((predict\$3 simulat\$3) with (plan map model floor-plan network system building environment))	USPAT	2004/09/25 11:22
-	121	(server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT	2004/09/25 11:19
-	425	(server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))	USPAT; US-PGPUB; EPO; JPO	2004/09/25 11:20
-	0	((server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run\$4 simulat\$3) with (plan map model floor-plan design) with (predict\$3 optimiz\$6) with (output result perform\$5))	USPAT	2004/09/25 11:25

-	13	((server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run\$4 simulat\$3) with (plan map model floor-plan design) with (predict\$3 optimiz\$6) with (output result perform\$5))	USPAT; US-PGPUB; EPO; JPO	2004/09/25 11:26
-	26	((server with (download\$3 load\$3 stor\$3 down-load\$3 send\$3 generat\$3 creat\$3) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (model map plan floor-plan design simulat\$3) with (communication tele-communication telecommunication "tele communication" network system building environment site floor "floor-plan" space) with (client portable PDA palm laptop lap-top "lap top" "hand held" handheld hand-held))) and ((run\$4 simulat\$3 optimiz\$6 predict\$3) with (plan map model floor-plan design network building environment space site) with (output result perform\$5))	USPAT	2004/09/25 11:30
-	23	"site planner" siteplanner site-planner	USPAT	2004/09/25 11:37
-	2511	(predict\$3 simulat\$3) with (coverage result output perform\$5) with (map model design plan\$4) with (environment network site system building floor floor-plan space)	USPAT	2004/09/25 11:39
-	4925	(predict\$3 analy\$4 study\$3 simulat\$3) with (coverage result output perform\$5) with (map model design plan\$4) with (environment network site system building floor floor-plan space)	USPAT	2004/09/25 11:40
-	5925	(predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (map model design plan\$4) with (environment network site system building floor floor-plan space)	USPAT	2004/09/25 11:43
-	18	(predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (map model design plan\$4) with (environment network site system building floor floor-plan space) with server with (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	2004/09/25 11:45
-	607	(predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)	USPAT	2004/09/25 11:44

-	12	((predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	2004/09/25 11:56
-	98	(predict\$3 analy\$4 optimiz\$6 study\$3 simulat\$3) with (coverage result output perform\$5) with (computer\$5 3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (map model plan blueprint blue-print "blue print") with (environment site building floor floor-plan space)	USPAT	2004/09/25 11:56
-	635	("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)	USPAT	2004/09/25 12:00
-	78	((("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	2004/09/25 12:02
-	36	((("auto cad" auto-cad "CAD") with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site)) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))	USPAT	2004/09/25 12:01
-	561	("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))	USPAT	2004/09/25 12:01
-	124	((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))	USPAT	2004/09/25 12:02

-	25	((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable)	USPAT	2004/09/25 12:02
-	99	((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))) not (((("auto cad" auto-cad "CAD") and ((3D 3-D "3 D" three-dimension\$3 "three dimensional" "three-dimension" "3 dimension" "3 dimensional" 3-dimension\$3) with (design model map plan blueprint blue-print "blue print") with (building floor-plan floor environment space site))) and ((predict\$3 study\$3 analyz\$5 simulat\$3 optimiz\$5 run\$4) with (model design map blueprint blue-print "blue print" plan\$4) with (output perform\$5 result coverage))) and server and (client PDA palm\$4 hand-held "hand held" handheld laptop lap-top "lap top" portable))	USPAT	2004/09/25 12:02
-	8	("5825480" "5944768" "6011494" "6016606" "6083353" "6151552" "6256578" "6324469").PN.	USPAT	2004/09/27 09:24
-	0	((("5825480" "5944768" "6011494" "6016606" "6083353" "6151552" "6256578" "6324469").PN.) and (server) and (client portable hand-held PDA palm PIM "handheld" "hand held"))	USPAT	2004/09/27 09:27
-	2	(345/848 345/734 345/738 345/853).ccls. and ((portable PDA PIM handheld hand-held palm "hand held") with (download\$3 down-load\$3 updat\$3 communicat\$3 shar\$3 load\$3 stor\$3 modify\$3) with (map model plan floor-plan))	USPAT	2004/09/27 09:31
-	46	((portable PDA PIM handheld hand-held palm "hand held") with (download\$3 down-load\$3 updat\$3 communicat\$3 shar\$3 load\$3 stor\$3 modify\$3) with (map model plan floor-plan) with server)	USPAT	2004/09/27 09:32